



Air Quality  
ENVIRONMENTAL QUALITY

**FILE**

PAT MCCRORY  
*Governor*

DONALD R. VAN DER VAART  
*Secretary*

SHEILA C. HOLMAN  
*Director*

August 9, 2016

Mr. Kenneth Waegerle  
Corporate EHS Manager  
Chandler Concrete / Piedmont, Inc. - Salisbury Plant #114  
PO Box 131  
Burlington, NC 27216

SUBJECT: Rescission Request  
Application No. 8000101.16A  
Chandler Concrete / Piedmont, Inc. - Salisbury Plant #114  
Facility ID: 8000101, Salisbury, Rowan County  
Permit Class: Small  
Permit No. 05952R10

Dear Mr. Waegerle:

The Division of Air Quality has reviewed your letter and supporting documentation received August 1, 2016 requesting rescission of Permit No. 05952R10.

Based on this information, the facility does qualify for exemption from permitting since the facility is currently classified as "small" and the facility-wide actual emissions of particulate matter (PM10), sulfur dioxide, nitrogen oxides, volatile organic compounds, carbon monoxide, hazardous air pollutants (HAP), and toxic air pollutants (TAP), from previous years, each has been less than five (5) tons per year and the total actual aggregate emissions of these pollutants have been less than 10 tons per year. The letter also indicated that there are no future plans to make any changes that would increase emissions above these exemption thresholds.

Therefore, in accordance with your request, Air Quality Permit No. 05952R10 is hereby rescinded, effective the date of this letter. It should be noted that this exemption from permitting does not exempt Chandler Concrete / Piedmont, Inc. - Salisbury Plant #114 from complying with the applicable emission control standard including 15A NCAC 2D .0521 "Control of Visible Emissions".

Mr. Kenneth Waegerle

August 9, 2016


Page 2

Furthermore, should you decide to modify the processes such that the result is an increase of emissions above the emission thresholds given above, an Air Quality Permit may be required and Chandler Concrete / Piedmont, Inc. - Salisbury Plant #114 should contact this Regional Office prior to such actions for a permit or registration applicability determination.

This exemption from the permitting requirement is based upon your statement that this facility has been and will be operated under the threshold levels as outlined in the Regulation NCAC 2Q.0102(d). Please be advised that the operation of any air pollution emission sources which results in increased emissions in excess of the threshold levels specified in 15A NCAC 2Q.0102(d) without an Air Quality Permit is a violation of 15A NCAC 2Q.0101, "Required Air Quality Permits." If this facility is required to obtain an Air Quality permit in the future because of increased emissions, each day of operation of the emission sources without an Air Quality Permit represents a separate violation. Such violations may be subject to enforcement action pursuant to NCGS 143-215.114A.

Please be aware that even though your facility may no longer be subject to permitting requirements, the operations must still comply with all applicable state and federal laws and regulations. Furthermore, it is DAQ's intent to periodically conduct compliance assurance visits at exempt facilities. If you have any questions with reference to the above matter, please do not hesitate to contact Jennifer Womick at 704-235-2224.

Sincerely,



Ronald E. Slack, Regional Supervisor  
Division of Air Quality, NCDEQ

JAW

cc: Mooresville Regional Office Files

G:\AQ\Shared\WPDATA\COUNTIES\ROWAN\00101\R10\_EXEMPT\_20160809.docx